



ORTHO CARE



CARE-DAKSH Interlocking Nails & Instruments



FROM WHEELS TO HEELS

DAKSH Proximal Femoral Nail Antirotation (PFNA)

Ref. No. Ti	Ref. No. SS	Dia (mm)	Length
PFNA-130-09170-Ti	PFNA-130-09170	9.0	170mm
PFNA-130-09200-Ti	PFNA-130-09200	9.0	200mm
PFNA-130-09240-Ti	PFNA-130-09240	9.0	240mm
PFNA-130-10170-Ti	PFNA-130-10170	10.0	170mm
PFNA-130-10200-Ti	PFNA-130-10200	10.0	200mm
PFNA-130-10240-Ti	PFNA-130-10240	10.0	240mm
PFNA-130-11170-Ti	PFNA-130-11170	11.0	170mm
PFNA-130-11200-Ti	PFNA-130-11200	11.0	200mm
PFNA-130-11240-Ti	PFNA-130-11240	11.0	240mm
PFNA-130-12170-Ti	PFNA-130-12170	12.0	170mm
PFNA-130-12200-Ti	PFNA-130-12200	12.0	200mm
PFNA-130-12240-Ti	PFNA-130-12240	12.0	240mm



★ Locking Bolt Speed Lock ø 4.9mm

DAKSH Proximal Femoral Nail Antirotation (PFNA) - Long

Ref. No. Ti	Ref. No. SS	Dia (mm)	Position	Length
PFNA-130-09320-R-Ti	PFNA-130-09320-R	9.0	Right	320mm
PFNA-130-09340-R-Ti	PFNA-130-09340-R	9.0	Right	340mm
PFNA-130-09360-R-Ti	PFNA-130-09360-R	9.0	Right	360mm
PFNA-130-09380-R-Ti	PFNA-130-09380-R	9.0	Right	380mm
PFNA-130-09400-R-Ti	PFNA-130-09400-R	9.0	Right	400mm
PFNA-130-09420-R-Ti	PFNA-130-09420-R	9.0	Right	420mm
PFNA-130-09440-R-Ti	PFNA-130-09440-R	9.0	Right	440mm
PFNA-130-10320-R-Ti	PFNA-130-10320-R	10.0	Right	320mm
PFNA-130-10340-R-Ti	PFNA-130-10340-R	10.0	Right	340mm
PFNA-130-10360-R-Ti	PFNA-130-10360-R	10.0	Right	360mm
PFNA-130-10380-R-Ti	PFNA-130-10380-R	10.0	Right	380mm
PFNA-130-10400-R-Ti	PFNA-130-10400-R	10.0	Right	400mm
PFNA-130-10420-R-Ti	PFNA-130-10420-R	10.0	Right	420mm
PFNA-130-10440-R-Ti	PFNA-130-10440-R	10.0	Right	440mm
PFNA-130-11320-R-Ti	PFNA-130-11320-R	11.0	Right	320mm
PFNA-130-11340-R-Ti	PFNA-130-11340-R	11.0	Right	340mm
PFNA-130-11360-R-Ti	PFNA-130-11360-R	11.0	Right	360mm
PFNA-130-11380-R-Ti	PFNA-130-11380-R	11.0	Right	380mm
PFNA-130-11400-R-Ti	PFNA-130-11400-R	11.0	Right	400mm
PFNA-130-11420-R-Ti	PFNA-130-11420-R	11.0	Right	420mm
PFNA-130-11440-R-Ti	PFNA-130-11440-R	11.0	Right	440mm
PFNA-130-12320-R-Ti	PFNA-130-12320-R	12.0	Right	320mm
PFNA-130-12340-R-Ti	PFNA-130-12340-R	12.0	Right	340mm
PFNA-130-12360-R-Ti	PFNA-130-12360-R	12.0	Right	360mm
PFNA-130-12380-R-Ti	PFNA-130-12380-R	12.0	Right	380mm
PFNA-130-12400-R-Ti	PFNA-130-12400-R	12.0	Right	400mm
PFNA-130-12420-R-Ti	PFNA-130-12420-R	12.0	Right	420mm
PFNA-130-12440-R-Ti	PFNA-130-12440-R	12.0	Right	440mm



DAKSH Proximal Femoral Nail Antirotation (PFNA) - Long

Ref. No. Ti	Ref. No. SS	Dia (mm)	Position	Length
PFNA-130-09320-L-Ti	PFNA-130-09320-L	9.0	Left	320mm
PFNA-130-09340-L-Ti	PFNA-130-09340-L	9.0	Left	340mm
PFNA-130-09360-L-Ti	PFNA-130-09360-L	9.0	Left	360mm
PFNA-130-09380-L-Ti	PFNA-130-09380-L	9.0	Left	380mm
PFNA-130-09400-L-Ti	PFNA-130-09400-L	9.0	Left	400mm
PFNA-130-09420-L-Ti	PFNA-130-09420-L	9.0	Left	420mm
PFNA-130-09440-L-Ti	PFNA-130-09440-L	9.0	Left	440mm
PFNA-130-10320-L-Ti	PFNA-130-10320-L	10.0	Left	320mm
PFNA-130-10340-L-Ti	PFNA-130-10340-L	10.0	Left	340mm
PFNA-130-10360-L-Ti	PFNA-130-10360-L	10.0	Left	360mm
PFNA-130-10380-L-Ti	PFNA-130-10380-L	10.0	Left	380mm
PFNA-130-10400-L-Ti	PFNA-130-10400-L	10.0	Left	400mm
PFNA-130-10420-L-Ti	PFNA-130-10420-L	10.0	Left	420mm
PFNA-130-10440-L-Ti	PFNA-130-10440-L	10.0	Left	440mm
PFNA-130-11320-L-Ti	PFNA-130-11320-L	11.0	Left	320mm
PFNA-130-11340-L-Ti	PFNA-130-11340-L	11.0	Left	340mm
PFNA-130-11360-L-Ti	PFNA-130-11360-L	11.0	Left	360mm
PFNA-130-11380-L-Ti	PFNA-130-11380-L	11.0	Left	380mm
PFNA-130-11400-L-Ti	PFNA-130-11400-L	11.0	Left	400mm
PFNA-130-11420-L-Ti	PFNA-130-11420-L	11.0	Left	420mm
PFNA-130-11440-L-Ti	PFNA-130-11440-L	11.0	Left	440mm
PFNA-130-12320-L-Ti	PFNA-130-12320-L	12.0	Left	320mm
PFNA-130-12340-L-Ti	PFNA-130-12340-L	12.0	Left	340mm
PFNA-130-12360-L-Ti	PFNA-130-12360-L	12.0	Left	360mm
PFNA-130-12380-L-Ti	PFNA-130-12380-L	12.0	Left	380mm
PFNA-130-12400-L-Ti	PFNA-130-12400-L	12.0	Left	400mm
PFNA-130-12420-L-Ti	PFNA-130-12420-L	12.0	Left	420mm
PFNA-130-12440-L-Ti	PFNA-130-12440-L	12.0	Left	440mm




DAKSH Proximal Femoral Nail Antirotation (PFNA) - Blade

Ref. No. Ti	Ref. No. SS	Dia (mm)	Length
PFNA-B-1070-Ti	PFNA-B-1070	10.5	70mm
PFNA-B-1075-Ti	PFNA-B-1075	10.5	75mm
PFNA-B-1080-Ti	PFNA-B-1080	10.5	80mm
PFNA-B-1085-Ti	PFNA-B-1085	10.5	85mm
PFNA-B-1090-Ti	PFNA-B-1090	10.5	90mm
PFNA-B-1095-Ti	PFNA-B-1095	10.5	95mm
PFNA-B-1100-Ti	PFNA-B-1100	10.5	100mm
PFNA-B-1105-Ti	PFNA-B-1105	10.5	105mm
PFNA-B-1110-Ti	PFNA-B-1110	10.5	110mm
PFNA-B-1115-Ti	PFNA-B-1115	10.5	115mm
PFNA-B-1120-Ti	PFNA-B-1120	10.5	120mm



Specifications, size, shape subject to change without notice.
Picture shape if similar to any other manufacturers is just a co-incident.

DAKSH PFNA Nail Instrument Set (Standard Quality)




Ref. No.	Description
PFNA – 5500	DAKSH PFNA Nail Instrument Set (Standard Quality)
	CONTENTS:-
PFNA – 5501	Bone Awl
PFNA – 5502	Tissue Protector
PFNA – 5503	Guide Wire 3 mm x 380 mm Length
PFNA – 5504	Proximal Reamer dia 15mm
PFNA – 5505	Fixation sleeve for Proximal reamer
PFNA – 5506	Q.C. Handle For Proximal Reamer
PFNA – 5507	Insertion Handle
PFNA – 5508	Connecting Bolt Knob for fixing Aiming Arms
PFNA – 5509	Nail Connecting Bolt Cannulated
PFNA – 5510	Screw Driver For Nail Connecting Bolt
PFNA – 5511	Wire Sleeve For Proximal End
PFNA – 5512	Proximal Aiming Device for Proximal Hole 130°
PFNA – 5513	Aiming Arm For Distal Hole Locking
PFNA – 5514	Compression Nut for Protection Sleeve
PFNA – 5515	Protection Sleeve 16 mm/11 mm For PFNA Blade
PFNA – 5516	Guide wire sleeve 11 mm /3.2 mm For PFNA Blade
PFNA – 5517	Trocar 3.2 mm
PFNA – 5518	Reamer For PFNA Blade 11 mm
PFNA – 5519	Reamer Cannulated ϕ 11 mm For Trochanteric Cortex
PFNA – 5520	Cannulated Impactor For PFNA Blade
PFNA – 5521	Extraction Screw For PFNA Blade Solid
PFNA – 5522	Protection Sleeve 10 mm/8 mm For Distal Hole Locking
PFNA – 5523	Drill Sleeve 8 mm/4 mm For Distal Hole
PFNA – 5524	Trocar 8 mm
PFNA – 5525	Direct Measuring Device For Guide Wire 3.2 mm
PFNA – 5526	Pin Wrench
PFNA – 5527	Driving Cap with thread, for Insertion Handle
PFNA – 5528	Hammer Guide Rod 11 mm
PFNA – 5529	Slotted Hammer
PFNA – 5530	Hammer
PFNA – 5531	Medullary Tube
PFNA – 5532	Key For PFNA Blade
PFNA – 5533	Screw Driver 3.5 mm Hexagonal Tip
PFNA – 5534	Depth Gauge For Distal Hole Locking Bolt
PFNA – 5535	Nail Extractor
PFNA – 5536	Drill Bit 4.0mm
PFNA – 5537	Cannulated Bone Awl
PFNA – 5538	Guide Wire Holding Forceps
PFNA – 5539	Measuring Scale
PFNA – 5540	Container



DAKSH Prime Proximal Femoral Nail Antirotation (PFNA) - Distal Locking Without C-ARM

Ref. No. Ti	Ref. No. SS	Dia (mm)	Length
PFNA-130-09170-Ti	PFNA-130-09170	9.0	170mm
PFNA-130-09200-Ti	PFNA-130-09200	9.0	200mm
PFNA-130-09240-Ti	PFNA-130-09240	9.0	240mm
PFNA-130-10170-Ti	PFNA-130-10170	10.0	170mm
PFNA-130-10200-Ti	PFNA-130-10200	10.0	200mm
PFNA-130-10240-Ti	PFNA-130-10240	10.0	240mm
PFNA-130-11170-Ti	PFNA-130-11170	11.0	170mm
PFNA-130-11200-Ti	PFNA-130-11200	11.0	200mm
PFNA-130-11240-Ti	PFNA-130-11240	11.0	240mm
PFNA-130-12170-Ti	PFNA-130-12170	12.0	170mm
PFNA-130-12200-Ti	PFNA-130-12200	12.0	200mm
PFNA-130-12240-Ti	PFNA-130-12240	12.0	240mm



★ Locking Bolt Speed Lock ø 4.9mm

DAKSH Prime Proximal Femoral Nail Antirotation (PFNA) Long - Distal Locking Without C-ARM

Ref. No. Ti	Ref. No. SS	Dia (mm)	Position	Length
PFNA-130-09320-R-Ti	PFNA-130-09320-R	9.0	Right	320mm
PFNA-130-09340-R-Ti	PFNA-130-09340-R	9.0	Right	340mm
PFNA-130-09360-R-Ti	PFNA-130-09360-R	9.0	Right	360mm
PFNA-130-09380-R-Ti	PFNA-130-09380-R	9.0	Right	380mm
PFNA-130-09400-R-Ti	PFNA-130-09400-R	9.0	Right	400mm
PFNA-130-09420-R-Ti	PFNA-130-09420-R	9.0	Right	420mm
PFNA-130-09440-R-Ti	PFNA-130-09440-R	9.0	Right	440mm
PFNA-130-10320-R-Ti	PFNA-130-10320-R	10.0	Right	320mm
PFNA-130-10340-R-Ti	PFNA-130-10340-R	10.0	Right	340mm
PFNA-130-10360-R-Ti	PFNA-130-10360-R	10.0	Right	360mm
PFNA-130-10380-R-Ti	PFNA-130-10380-R	10.0	Right	380mm
PFNA-130-10400-R-Ti	PFNA-130-10400-R	10.0	Right	400mm
PFNA-130-10420-R-Ti	PFNA-130-10420-R	10.0	Right	420mm
PFNA-130-10440-R-Ti	PFNA-130-10440-R	10.0	Right	440mm
PFNA-130-11320-R-Ti	PFNA-130-11320-R	11.0	Right	320mm
PFNA-130-11340-R-Ti	PFNA-130-11340-R	11.0	Right	340mm
PFNA-130-11360-R-Ti	PFNA-130-11360-R	11.0	Right	360mm
PFNA-130-11380-R-Ti	PFNA-130-11380-R	11.0	Right	380mm
PFNA-130-11400-R-Ti	PFNA-130-11400-R	11.0	Right	400mm
PFNA-130-11420-R-Ti	PFNA-130-11420-R	11.0	Right	420mm
PFNA-130-11440-R-Ti	PFNA-130-11440-R	11.0	Right	440mm
PFNA-130-12320-R-Ti	PFNA-130-12320-R	12.0	Right	320mm
PFNA-130-12340-R-Ti	PFNA-130-12340-R	12.0	Right	340mm
PFNA-130-12360-R-Ti	PFNA-130-12360-R	12.0	Right	360mm
PFNA-130-12380-R-Ti	PFNA-130-12380-R	12.0	Right	380mm
PFNA-130-12400-R-Ti	PFNA-130-12400-R	12.0	Right	400mm
PFNA-130-12420-R-Ti	PFNA-130-12420-R	12.0	Right	420mm
PFNA-130-12440-R-Ti	PFNA-130-12440-R	12.0	Right	440mm



DAKSH Prime Proximal Femoral Nail Antirotation (PFNA) Long - Distal Locking Without C-ARM

Ref. No. Ti	Ref. No. SS	Dia (mm)	Position	Length
PFNA-130-09320-L-Ti	PFNA-130-09320-L	9.0	Left	320mm
PFNA-130-09340-L-Ti	PFNA-130-09340-L	9.0	Left	340mm
PFNA-130-09360-L-Ti	PFNA-130-09360-L	9.0	Left	360mm
PFNA-130-09380-L-Ti	PFNA-130-09380-L	9.0	Left	380mm
PFNA-130-09400-L-Ti	PFNA-130-09400-L	9.0	Left	400mm
PFNA-130-09420-L-Ti	PFNA-130-09420-L	9.0	Left	420mm
PFNA-130-09440-L-Ti	PFNA-130-09440-L	9.0	Left	440mm
PFNA-130-10320-L-Ti	PFNA-130-10320-L	10.0	Left	320mm
PFNA-130-10340-L-Ti	PFNA-130-10340-L	10.0	Left	340mm
PFNA-130-10360-L-Ti	PFNA-130-10360-L	10.0	Left	360mm
PFNA-130-10380-L-Ti	PFNA-130-10380-L	10.0	Left	380mm
PFNA-130-10400-L-Ti	PFNA-130-10400-L	10.0	Left	400mm
PFNA-130-10420-L-Ti	PFNA-130-10420-L	10.0	Left	420mm
PFNA-130-10440-L-Ti	PFNA-130-10440-L	10.0	Left	440mm
PFNA-130-11320-L-Ti	PFNA-130-11320-L	11.0	Left	320mm
PFNA-130-11340-L-Ti	PFNA-130-11340-L	11.0	Left	340mm
PFNA-130-11360-L-Ti	PFNA-130-11360-L	11.0	Left	360mm
PFNA-130-11380-L-Ti	PFNA-130-11380-L	11.0	Left	380mm
PFNA-130-11400-L-Ti	PFNA-130-11400-L	11.0	Left	400mm
PFNA-130-11420-L-Ti	PFNA-130-11420-L	11.0	Left	420mm
PFNA-130-11440-L-Ti	PFNA-130-11440-L	11.0	Left	440mm
PFNA-130-12320-L-Ti	PFNA-130-12320-L	12.0	Left	320mm
PFNA-130-12340-L-Ti	PFNA-130-12340-L	12.0	Left	340mm
PFNA-130-12360-L-Ti	PFNA-130-12360-L	12.0	Left	360mm
PFNA-130-12380-L-Ti	PFNA-130-12380-L	12.0	Left	380mm
PFNA-130-12400-L-Ti	PFNA-130-12400-L	12.0	Left	400mm
PFNA-130-12420-L-Ti	PFNA-130-12420-L	12.0	Left	420mm
PFNA-130-12440-L-Ti	PFNA-130-12440-L	12.0	Left	440mm



DAKSH Prime Proximal Femoral Nail Antirotation (PFNA) BLADE - Distal Locking Without C-ARM

Ref. No. Ti	Ref. No. SS	Dia (mm)	Length
PFNA-B-1070-Ti	PFNA-B-1070	10.5	70mm
PFNA-B-1075-Ti	PFNA-B-1075	10.5	75mm
PFNA-B-1080-Ti	PFNA-B-1080	10.5	80mm
PFNA-B-1085-Ti	PFNA-B-1085	10.5	85mm
PFNA-B-1090-Ti	PFNA-B-1090	10.5	90mm
PFNA-B-1095-Ti	PFNA-B-1095	10.5	95mm
PFNA-B-1100-Ti	PFNA-B-1100	10.5	100mm
PFNA-B-1105-Ti	PFNA-B-1105	10.5	105mm
PFNA-B-1110-Ti	PFNA-B-1110	10.5	110mm
PFNA-B-1115-Ti	PFNA-B-1115	10.5	115mm
PFNA-B-1120-Ti	PFNA-B-1120	10.5	120mm




Specifications, size, shape subject to change without notice.
Picture shape if similar to any other manufacturers is just a co-incident.


DAKSH PFNA Nail Instrument Set (Premium Quality)

Ref. No.	Description
CPPFNA – 6600.00	DAKSH PFNA Nail Instrument Set (Premium Quality)
	CONTENTS:-
	Box Bottom
CPPFNA – 6600.01	Distal Aiming Device for 170mm & 240mm (Dynamic)
CPPFNA – 6600.02	Distal Aiming Device for 240mm (Dynamic & Static)
CPPFNA – 6600.03	Measuring scale for spiral blade
CPPFNA – 6600.04	Proximal Aiming Device
CPPFNA – 6600.05	Guide bar (1) for Distal Locking
CPPFNA – 6600.06	Guide bar (2) for Distal Locking
CPPFNA – 6600.07	Protection Sleeve 16 mm/11 mm & Guide wire sleeve 11 mm /3.2 mm For PFNA Blade
CPPFNA – 6600.08	Distal Aiming Arm (extension nail)
CPPFNA – 6600.09	Driving Cap with thread, for Insertion Handle
CPPFNA – 6600.10	Insertion Handle
CPPFNA – 6600.11	Depth Gauge
CPPFNA – 6600.12	Connecting screws
CPPFNA – 6600.13	Connecting screws
CPPFNA – 6600.14	Connecting screws
CPPFNA – 6600.15	Nail Connecting Bolt
	Tray-1
CPPFNA – 6600.16	Multi Wire Sleeve
CPPFNA – 6600.17	Bone Awl
CPPFNA – 6600.18	Key for PFNA Blade
CPPFNA – 6600.19	Spanner
CPPFNA – 6600.20	Guide wire holder
CPPFNA – 6600.21	U block
CPPFNA – 6600.22	T-Handle Quick Handle
CPPFNA – 6600.23	Reamer Cannulated ø 11 mm For Trochanteric Cortex
CPPFNA – 6600.24	Proximal Reamer Dia 16.5mm
CPPFNA – 6600.25	Reamer For PFNA Blade 11 mm
CPPFNA – 6600.26	Needle guide
	Tray-2
CPPFNA – 6600.27	Nail extractor
CPPFNA – 6600.28	Spiral Blade Extractor
CPPFNA – 6600.29	Spiral Blade Impactor
CPPFNA – 6600.30	Slide Hammer
CPPFNA – 6600.31	Rod with thread, for Insertion Handle
CPPFNA – 6600.32	Hexagonal Screw Driver Tip 3.5mm
CPPFNA – 6600.33	Trocar 3.2mm
CPPFNA – 6600.34	Cap Hexagonal Wrench, Extension Rod
CPPFNA – 6600.35	Protection Sleeve
CPPFNA – 6600.36	Trocar
	Tray-3
CPPFNA – 6600.37	Cleaning Brush
CPPFNA – 6600.38	Hook Guide
CPPFNA – 6600.39	Measuring scale for Nail
CPPFNA – 6600.40	Guide Wire ø3.2mm
CPPFNA – 6600.41	Clean Needle
CPPFNA – 6600.42	T-Bit T-Universal wrench
CPPFNA – 6600.43	Screw Driver For Nail Connecting Bolt
CPPFNA – 6600.44	Drill Bit ø 5.2mm
CPPFNA – 6600.45	Drill Sleeve ø5.2mm
CPPFNA – 6600.46	L-Key SW 3.5mm
CPPFNA – 6600.47	L-Key SW 5.0mm
CPPFNA – 6600.48	Protection Sleeve 8 ,Drill Sleeve 4.0, Trocar 4.0mm
CPPFNA – 6600.49	Locator T-Hexagonal Wrench
CPPFNA – 6600.50	Screw Driver For Nail Connecting Bolt (Small)
CPPFNA – 6600.51	Tissue Protector
CPPFNA – 6600.52	Drill Bit ø 4.0mm
CPPFNA – 6600.53	Flexible Reamer Dia 9, 10, 11,12mm
CPPFNA – 6600.54	Guide Wire Beaded ø2.5mm

Box Bottom




Tray-1



Tray-2



Tray-3



Specifications, size, shape subject to change without notice.
Picture shape if similar to any other manufacturers is just a co-incident.

DAKSH Proximal Femoral Nail 130° (PFN)

Ref. No. Ti	Ref. No. SS	Dia (mm)	Length(mm)
PFN-130-09240-Ti	PFN-130-09240	9.0	240mm
PFN-130-10240-Ti	PFN-130-10240	10.0	240mm
PFN-130-11240-Ti	PFN-130-11240	11.0	240mm
PFN-130-12240-Ti	PFN-130-12240	12.0	240mm



Locking Bolt ϕ 6.3mm
Locking Bolt ϕ 8.0mm

DAKSH Proximal Femoral Nail 130° (PFN) - Long

Ref. No. Ti	Ref. No. SS	Dia (mm)	Position	Length(mm)
PFN-130-09320-R-Ti	PFN-130-09320-R	9.0	Right	320mm
PFN-130-09340-R-Ti	PFN-130-09340-R	9.0	Right	340mm
PFN-130-09360-R-Ti	PFN-130-09360-R	9.0	Right	360mm
PFN-130-09380-R-Ti	PFN-130-09380-R	9.0	Right	380mm
PFN-130-09400-R-Ti	PFN-130-09400-R	9.0	Right	400mm
PFN-130-09420-R-Ti	PFN-130-09420-R	9.0	Right	420mm
PFN-130-09440-R-Ti	PFN-130-09440-R	9.0	Right	440mm
PFN-130-10320-R-Ti	PFN-130-10320-R	10.0	Right	320mm
PFN-130-10340-R-Ti	PFN-130-10340-R	10.0	Right	340mm
PFN-130-10360-R-Ti	PFN-130-10360-R	10.0	Right	360mm
PFN-130-10380-R-Ti	PFN-130-10380-R	10.0	Right	380mm
PFN-130-10400-R-Ti	PFN-130-10400-R	10.0	Right	400mm
PFN-130-10420-R-Ti	PFN-130-10420-R	10.0	Right	420mm
PFN-130-10440-R-Ti	PFN-130-10440-R	10.0	Right	440mm
PFN-130-11320-R-Ti	PFN-130-11320-R	11.0	Right	320mm
PFN-130-11340-R-Ti	PFN-130-11340-R	11.0	Right	340mm
PFN-130-11360-R-Ti	PFN-130-11360-R	11.0	Right	360mm
PFN-130-11380-R-Ti	PFN-130-11380-R	11.0	Right	380mm
PFN-130-11400-R-Ti	PFN-130-11400-R	11.0	Right	400mm
PFN-130-11420-R-Ti	PFN-130-11420-R	11.0	Right	420mm
PFN-130-11440-R-Ti	PFN-130-11440-R	11.0	Right	440mm
PFN-130-12320-R-Ti	PFN-130-12320-R	12.0	Right	320mm
PFN-130-12340-R-Ti	PFN-130-12340-R	12.0	Right	340mm
PFN-130-12360-R-Ti	PFN-130-12360-R	12.0	Right	360mm
PFN-130-12380-R-Ti	PFN-130-12380-R	12.0	Right	380mm
PFN-130-12400-R-Ti	PFN-130-12400-R	12.0	Right	400mm
PFN-130-12420-R-Ti	PFN-130-12420-R	12.0	Right	420mm
PFN-130-12440-R-Ti	PFN-130-12440-R	12.0	Right	440mm




Locking Bolt ϕ 5.0mm

DAKSH Proximal Femoral Nail 130° (PFN) - Long

Ref. No. Ti	Ref. No. SS	Dia (mm)	Position	Length(mm)
PFN-130-09320-L-Ti	PFN-130-09320-L	9.0	Left	320mm
PFN-130-09340-L-Ti	PFN-130-09340-L	9.0	Left	340mm
PFN-130-09360-L-Ti	PFN-130-09360-L	9.0	Left	360mm
PFN-130-09380-L-Ti	PFN-130-09380-L	9.0	Left	380mm
PFN-130-09400-L-Ti	PFN-130-09400-L	9.0	Left	400mm
PFN-130-09420-L-Ti	PFN-130-09420-L	9.0	Left	420mm
PFN-130-09440-L-Ti	PFN-130-09440-L	9.0	Left	440mm
PFN-130-10320-L-Ti	PFN-130-10320-L	10.0	Left	320mm
PFN-130-10340-L-Ti	PFN-130-10340-L	10.0	Left	340mm
PFN-130-10360-L-Ti	PFN-130-10360-L	10.0	Left	360mm
PFN-130-10380-L-Ti	PFN-130-10380-L	10.0	Left	380mm
PFN-130-10400-L-Ti	PFN-130-10400-L	10.0	Left	400mm
PFN-130-10420-L-Ti	PFN-130-10420-L	10.0	Left	420mm
PFN-130-10440-L-Ti	PFN-130-10440-L	10.0	Left	440mm
PFN-130-11320-L-Ti	PFN-130-11320-L	11.0	Left	320mm
PFN-130-11340-L-Ti	PFN-130-11340-L	11.0	Left	340mm
PFN-130-11360-L-Ti	PFN-130-11360-L	11.0	Left	360mm
PFN-130-11380-L-Ti	PFN-130-11380-L	11.0	Left	380mm
PFN-130-11400-L-Ti	PFN-130-11400-L	11.0	Left	400mm
PFN-130-11420-L-Ti	PFN-130-11420-L	11.0	Left	420mm
PFN-130-11440-L-Ti	PFN-130-11440-L	11.0	Left	440mm
PFN-130-12320-L-Ti	PFN-130-12320-L	12.0	Left	320mm
PFN-130-12340-L-Ti	PFN-130-12340-L	12.0	Left	340mm
PFN-130-12360-L-Ti	PFN-130-12360-L	12.0	Left	360mm
PFN-130-12380-L-Ti	PFN-130-12380-L	12.0	Left	380mm
PFN-130-12400-L-Ti	PFN-130-12400-L	12.0	Left	400mm
PFN-130-12420-L-Ti	PFN-130-12420-L	12.0	Left	420mm
PFN-130-12440-L-Ti	PFN-130-12440-L	12.0	Left	440mm



Locking Bolts



DAKSH PFN Nail Instrument Set



Ref. No.	Description
CDPFN-1900.00	DAKSH PFN Nail Instrument Set
	CONTENTS:-
CDPFN-1900.01	Bone Awl
CDPFN-1900.02	Tissue Protector
CDPFN-1900.03	Guide wire for PFN locking bolts dia 2.5mm
CDPFN-1900.04	Proximal Reamer dia 13.0mm
CDPFN-1900.05	Fixation sleeve for Proximal reamer
CDPFN-1900.06	Aiming Device for Care Daksh PFN with insertion handle
CDPFN-1900.07	Nail connecting bolt cannulated
CDPFN-1900.08	Spanner
CDPFN-1900.09	Protection sleeve for 8.0mm locking bolt
CDPFN-1900.10	Protection sleeve for 6.5mm locking bolt
CDPFN-1900.11	Guide wire sleeve for 8.0mm Locking bolt
CDPFN-1900.12	Guide wire sleeve for 6.5mm Lockinbg bolt
CDPFN-1900.13	Trocar for 8.0mm Locking bolt
CDPFN-1900.14	Coupling T-Handle

CDPFN-1900.15	Reamer for 8.0mm Locking bolt
CDPFN-1900.16	Reamer for 6.5mm Locking bolt
CDPFN-1900.17	Protection sleeve for 4.9mm locking bolt
CDPFN-1900.18	Drill sleeve for 4.9mm locking bolt
CDPFN-1900.19	Extractor Rod
CDPFN-1900.20	Handle For Extractor
CDPFN-1900.21	Screw driver dia 5.0mm tip for 8.0mm & 6.5mm locking bolt
CDPFN-1900.22	Screw driver dia 3.5mm tip for 4.9mm locking bolt
CDPFN-1900.23	Round Hammer
CDPFN-1900.24	Socket Wrench 10mm
CDPFN-1900.25	Pin Wrench
CDPFN-1900.26	Jig Assembly Connecting Parts
CDPFN-1900.27	Hammering Device
CDPFN-1900.28	Hex Cap
CDPFN-1900.29	Guide wire 2.5mm plain
CDPFN-1900.30	Guide wire 2.5mm beaded



DAKSH Universal Femur Nail

Ref. No. Ti	Ref. No. SS	Dia (mm)	Length(mm)
CDUF09340-Ti	CDUF09340	9.0	340mm
CDUF09360-Ti	CDUF09360	9.0	360mm
CDUF09380-Ti	CDUF09380	9.0	380mm
CDUF09400-Ti	CDUF09400	9.0	400mm
CDUF09420-Ti	CDUF09420	9.0	420mm
CDUF09440-Ti	CDUF09440	9.0	440mm
CDUF10340-Ti	CDUF10340	10.0	340mm
CDUF10360-Ti	CDUF10360	10.0	360mm
CDUF10380-Ti	CDUF10380	10.0	380mm
CDUF10400-Ti	CDUF10400	10.0	400mm
CDUF10420-Ti	CDUF10420	10.0	420mm
CDUF10440-Ti	CDUF10440	10.0	440mm
CDUF11340-Ti	CDUF11340	11.0	340mm
CDUF11360-Ti	CDUF11360	11.0	360mm
CDUF11380-Ti	CDUF11380	11.0	380mm
CDUF11400-Ti	CDUF11400	11.0	400mm
CDUF11420-Ti	CDUF11420	11.0	420mm
CDUF11440-Ti	CDUF11440	11.0	440mm
CDUF12340-Ti	CDUF12340	12.0	340mm
CDUF12360-Ti	CDUF12360	12.0	360mm
CDUF12380-Ti	CDUF12380	12.0	380mm
CDUF12400-Ti	CDUF12400	12.0	400mm
CDUF12420-Ti	CDUF12420	12.0	420mm
CDUF12440-Ti	CDUF12440	12.0	440mm



● Locking Bolt ϕ 4.9mm
 * Locking Bolt ϕ 3.9mm

DAKSH Universal Tibia Nail

Ref. No. Ti	Ref. No. SS	Dia (mm)	Length(mm)
CDUT08280-Ti	CDUT08280	8.0	280mm
CDUT08300-Ti	CDUT08300	8.0	300mm
CDUT08320-Ti	CDUT08320	8.0	320mm
CDUT08340-Ti	CDUT08340	8.0	340mm
CDUT08360-Ti	CDUT08360	8.0	360mm
CDUT09280-Ti	CDUT09280	9.0	280mm
CDUT09300-Ti	CDUT09300	9.0	300mm
CDUT09320-Ti	CDUT09320	9.0	320mm
CDUT09340-Ti	CDUT09340	9.0	340mm
CDUT09360-Ti	CDUT09360	9.0	360mm
CDUT10280-Ti	CDUT10280	10.0	280mm
CDUT10300-Ti	CDUT10300	10.0	300mm
CDUT10320-Ti	CDUT10320	10.0	320mm
CDUT10340-Ti	CDUT10340	10.0	340mm
CDUT10360-Ti	CDUT10360	10.0	360mm
CDUT11280-Ti	CDUT11280	11.0	280mm
CDUT11300-Ti	CDUT11300	11.0	300mm
CDUT11320-Ti	CDUT11320	11.0	320mm
CDUT11340-Ti	CDUT11340	11.0	340mm
CDUT11360-Ti	CDUT11360	11.0	360mm



DAKSH Universal End Cap For Tibia & Femur

Ref. No. Ti	Ref. No. SS	Length(mm)
CDUEC-00-Ti	CDUEC-00	00mm
CDUEC-05-Ti	CDUEC-05	05mm
CDUEC-10-Ti	CDUEC-10	10mm
CDUEC-15-Ti	CDUEC-15	15mm
CDUEC-20-Ti	CDUEC-20	20mm



Specifications, size, shape subject to change without notice.
 Picture shape if similar to any other manufacturers is just a co-incident.



DAKSH Prime Universal Femur Nail - Distal Locking Without C-ARM

Ref. No. Ti	Ref. No. SS	Dia (mm)	Length(mm)
CPUF09340-Ti	CPUF09340	9.0	340mm
CPUF09360-Ti	CPUF09360	9.0	360mm
CPUF09380-Ti	CPUF09380	9.0	380mm
CPUF09400-Ti	CPUF09400	9.0	400mm
CPUF09420-Ti	CPUF09420	9.0	420mm
CPUF09440-Ti	CPUF09440	9.0	440mm
CPUF10340-Ti	CPUF10340	10.0	340mm
CPUF10360-Ti	CPUF10360	10.0	360mm
CPUF10380-Ti	CPUF10380	10.0	380mm
CPUF10400-Ti	CPUF10400	10.0	400mm
CPUF10420-Ti	CPUF10420	10.0	420mm
CPUF10440-Ti	CPUF10440	10.0	440mm
CPUF11340-Ti	CPUF11340	11.0	340mm
CPUF11360-Ti	CPUF11360	11.0	360mm
CPUF11380-Ti	CPUF11380	11.0	380mm
CPUF11400-Ti	CPUF11400	11.0	400mm
CPUF11420-Ti	CPUF11420	11.0	420mm
CPUF11440-Ti	CPUF11440	11.0	440mm
CPUF12340-Ti	CPUF12340	12.0	340mm
CPUF12360-Ti	CPUF12360	12.0	360mm
CPUF12380-Ti	CPUF12380	12.0	380mm
CPUF12400-Ti	CPUF12400	12.0	400mm
CPUF12420-Ti	CPUF12420	12.0	420mm
CPUF12440-Ti	CPUF12440	12.0	440mm



DAKSH Prime Universal Tibia Nail - Distal Locking Without C-ARM

Ref. No. Ti	Ref. No. SS	Dia (mm)	Length(mm)
CPUT08280-Ti	CPUT08280	8.0	280mm
CPUT08300-Ti	CPUT08300	8.0	300mm
CPUT08320-Ti	CPUT08320	8.0	320mm
CPUT08340-Ti	CPUT08340	8.0	340mm
CPUT08360-Ti	CPUT08360	8.0	360mm
CPUT09280-Ti	CPUT09280	9.0	280mm
CPUT09300-Ti	CPUT09300	9.0	300mm
CPUT09320-Ti	CPUT09320	9.0	320mm
CPUT09340-Ti	CPUT09340	9.0	340mm
CPUT09360-Ti	CPUT09360	9.0	360mm
CPUT10280-Ti	CPUT10280	10.0	280mm
CPUT10300-Ti	CPUT10300	10.0	300mm
CPUT10320-Ti	CPUT10320	10.0	320mm
CPUT10340-Ti	CPUT10340	10.0	340mm
CPUT10360-Ti	CPUT10360	10.0	360mm
CPUT11280-Ti	CPUT11280	11.0	280mm
CPUT11300-Ti	CPUT11300	11.0	300mm
CPUT11320-Ti	CPUT11320	11.0	320mm
CPUT11340-Ti	CPUT11340	11.0	340mm
CPUT11360-Ti	CPUT11360	11.0	360mm



DAKSH Prime Universal End Cap For Tibia & Femur

Ref. No. Ti	Ref. No. SS	Length(mm)
CPUEC-00-Ti	CPUEC-00	00mm
CPUEC-05-Ti	CPUEC-05	05mm
CPUEC-10-Ti	CPUEC-10	10mm
CPUEC-15-Ti	CPUEC-15	15mm
CPUEC-20-Ti	CPUEC-20	20mm



Specifications, size, shape subject to change without notice.
Picture shape if similar to any other manufacturers is just a co-incident.

DAKSH Universal Femur & Tibia Instrument Set



Ref. No.	Description
CDU-1600.00	DAKSH Universal Femur & Tibia Instrument Set
	CONTENTS:-
1567	BONE AWL
1568	TISSUE PROTECTOR
1569.01	PROTECTION SLEEVE
1590	MEDULLARY TUBE
1594	GUIDE WIRE PLAIN
1595	GUIDE WIRE BEADED
1601	DRIVING HEAD
1602	GUIDE RAM CANNULATED
1603	RAM
CDU-1606	CONICAL BOLT FOR FEMUR & TIBIA
CDU-1609	TRAGETING DEVICE FOR TIBIA
CDU-1610	TRAGETING DEVICE FOR TIBIA
1612	DRILL SLEEVE FOR 4.9MM SCREW
1613	DRILL SLEEVE FOR 3.9MM SCREW
1614	TROCAR 8mm
1615	DEPTH GAUGE
1620	DRILL BIT for 4.9mm screws
1621	DRILL BIT for 3.9mm screws
1622	HEXAGONAL SCREW DRIVER 3.5mm
1321	WIRE HOLDING FORCEP
1623	SPANNER
	CONTAINER




DAKSH Prime Universal Femur Nail- Instrument Set (Distal Locking Without C-ARM)



Ref. No.	Description
FM-222001	Drill sleeve ϕ 2.5mm
FM-222002	Drill sleeve ϕ 4.0mm
FM-222003	Drill sleeve ϕ 4.0mm
FM-222004	External Sleeve ϕ 10mm Length – 140mm
FM-222005	External Sleeve ϕ 10mm Length – 115mm
FM-222006	Trocar
FM-222007	Awl
FM-222008	T-screwdriver SW3.5mm
FM-222009	Medullary cavity reamer ϕ 13mm
FM-222010	T-drill ϕ 4.0mm
FM-222011	T-drill ϕ 6.0mm
FM-222012	Medullary cavity reamer handle
FM-222013	Nail inserter
FM-222015	Depth gauge
FM-222016	Drill bit ϕ 6.0mm
FM-222017	Drill bit ϕ 6.5mm
FM-222018	Medullary reamer ϕ 12mm
FM-222019	Medullary reamer ϕ 11mm
FM-222020	Medullary reamer ϕ 10mm
FM-222021	Medullary reamer ϕ 9mm
FM-222022	Drill bit ϕ 4.0mm
FM-222023	Drill bit ϕ 4.0mm with stopper
FM-222024	Target device handle
FM-222025	Conical Bolt
FM-222026	Side bolt for target device handle
FM-222027	Target device for reconstruction nail
FM-222028	Distal target device
FM-222029	Alignment rod
FM-222030	L-spanner SW3.0mm
FM-222031	L-spanner SW5.0mm
FM-222032	Universal adapter
FM-222033	U-positioning block
FM-222034	Open-end spanner
FM-222035	Screw tap HA6.0mm
FM-222036	Locking screw extractor
FM-222037	Inserter extractor hammer
FM-222038	T-alignment rod
FM-222039	Guide rod
FM-222040	Guide pin 2.0mm
FM-222041	Reaming Rod with Tip
FM-222042	Pin 4.0mm x 300mm
FM-222043	Drill sleeve ϕ 6.0mm
FM-222044	Drill sleeve ϕ 6.5mm
FM-222045	Direct Measuring Device
FM-222046	Container

DAKSH Prime Universal Tibia Nail- Instrument Set (Distal Locking Without C-ARM)




Ref. No.	Description
TB-222001	External sleeve ϕ 10mm/115m
TB-222002	Drill sleeve ϕ 4.0mm/8.0mm
TB-222003	Guide tap ϕ 8mm x 135mm
TB-222004	T hex screwdriver SW3.5
TB-222005	Medullary cavity reamer handle
TB-222006	Depth gauge 20-90
TB-222007	T-drill ϕ 4.0mm
TB-222008	Open-end spanner SW12mm
TB-222009	Drill bit ϕ 5.4mm
TB-222010	Inside drill sleeve
TB-222011	Medullary reamer ϕ 8mm
TB-222012	Medullary reamer ϕ 9mm
TB-222013	Medullary reamer ϕ 10mm
TB-222014	Medullary reamer ϕ 11mm
TB-222015	Drill Bit ϕ 4.0mm with stopper
TB-222016	Drill bit ϕ 4.0mm
TB-222017	Guide pin 4.0X300
TB-222018	Hollow curved awl
TB-222019	T-drill ϕ 5.4mm
TB-222020	L-spanner SW3.0mm
TB-222021	L-spanner SW5.0mm
TB-222022	Target device handle
TB-222023	Reaming Rod ϕ 2.0mm X 670mm
TB-222024	Conical Bolt
TB-222025	U-positioning block
TB-222026	T-Alignment rod
TB-222027	Inserter extractor hammer
TB-222028	Guide rod 240mm-360mm
TB-222029	Alignment rod
TB-222030	Distal target device
TB-222031	Proximal target device
TB-222032	Universal adapter
TB-222033	Locking screw extractor
TB-222034	Trocar
TB-222035	Container

Specifications, size, shape subject to change without notice.
Picture shape if similar to any other manufacturers is just a co-incident.

DAKSH Multi Femur Nail Right

Ref. No. Ti	Ref. No. SS	Dia (mm)	Position	Length(mm)
CDMF09340R-Ti	CDMF09340R	9.0	Right	340mm
CDMF09360R-Ti	CDMF09360R	9.0	Right	360mm
CDMF09380R-Ti	CDMF09380R	9.0	Right	380mm
CDMF09400R-Ti	CDMF09400R	9.0	Right	400mm
CDMF09420R-Ti	CDMF09420R	9.0	Right	420mm
CDMF09440R-Ti	CDMF09440R	9.0	Right	440mm
CDMF10340R-Ti	CDMF10340R	10.0	Right	340mm
CDMF10360R-Ti	CDMF10360R	10.0	Right	360mm
CDMF10380R-Ti	CDMF10380R	10.0	Right	380mm
CDMF10400R-Ti	CDMF10400R	10.0	Right	400mm
CDMF10420R-Ti	CDMF10420R	10.0	Right	420mm
CDMF10440R-Ti	CDMF10440R	10.0	Right	440mm
CDMF11340R-Ti	CDMF11340R	11.0	Right	340mm
CDMF11360R-Ti	CDMF11360R	11.0	Right	360mm
CDMF11380R-Ti	CDMF11380R	11.0	Right	380mm
CDMF11400R-Ti	CDMF11400R	11.0	Right	400mm
CDMF11420R-Ti	CDMF11420R	11.0	Right	420mm
CDMF11440R-Ti	CDMF11440R	11.0	Right	440mm
CDMF12340R-Ti	CDMF12340R	12.0	Right	340mm
CDMF12360R-Ti	CDMF12360R	12.0	Right	360mm
CDMF12380R-Ti	CDMF12380R	12.0	Right	380mm
CDMF12400R-Ti	CDMF12400R	12.0	Right	400mm
CDMF12420R-Ti	CDMF12420R	12.0	Right	420mm
CDMF12440R-Ti	CDMF12440R	12.0	Right	440mm



Option - I

Option - II

Locking Bolt ϕ 5.0mm

Locking Bolt ϕ 6.5mm

DAKSH Multi Femur Nail Left

Ref. No. Ti	Ref. No. SS	Dia (mm)	Position	Length(mm)
CDMF09340L-Ti	CDMF09340L	9.0	Left	340mm
CDMF09360L-Ti	CDMF09360L	9.0	Left	360mm
CDMF09380L-Ti	CDMF09380L	9.0	Left	380mm
CDMF09400L-Ti	CDMF09400L	9.0	Left	400mm
CDMF09420L-Ti	CDMF09420L	9.0	Left	420mm
CDMF09440L-Ti	CDMF09440L	9.0	Left	440mm
CDMF10340L-Ti	CDMF10340L	10.0	Left	340mm
CDMF10360L-Ti	CDMF10360L	10.0	Left	360mm
CDMF10380L-Ti	CDMF10380L	10.0	Left	380mm
CDMF10400L-Ti	CDMF10400L	10.0	Left	400mm
CDMF10420L-Ti	CDMF10420L	10.0	Left	420mm
CDMF10440L-Ti	CDMF10440L	10.0	Left	440mm

DAKSH Multi Femur Nail Left

Ref. No. Ti	Ref. No. SS	Dia (mm)	Position	Length(mm)
CDMF11340L-Ti	CDMF11340L	11.0	Left	340mm
CDMF11360L-Ti	CDMF11360L	11.0	Left	360mm
CDMF11380L-Ti	CDMF11380L	11.0	Left	380mm
CDMF11400L-Ti	CDMF11400L	11.0	Left	400mm
CDMF11420L-Ti	CDMF11420L	11.0	Left	420mm
CDMF11440L-Ti	CDMF11440L	11.0	Left	440mm
CDMF12340L-Ti	CDMF12340L	12.0	Left	340mm
CDMF12360L-Ti	CDMF12360L	12.0	Left	360mm
CDMF12380L-Ti	CDMF12380L	12.0	Left	380mm
CDMF12400L-Ti	CDMF12400L	12.0	Left	400mm
CDMF12420L-Ti	CDMF12420L	12.0	Left	420mm
CDMF12440L-Ti	CDMF12440L	12.0	Left	440mm

DAKSH Multi Tibia Nail

Ref. No. Ti	Ref. No. SS	Dia (mm)	Length(mm)
CDMT08285-Ti	CDMT08285	8.0	285mm
CDMT08300-Ti	CDMT08300	8.0	300mm
CDMT08315-Ti	CDMT08315	8.0	315mm
CDMT08330-Ti	CDMT08330	8.0	330mm
CDMT08345-Ti	CDMT08345	8.0	345mm
CDMT08360-Ti	CDMT08360	8.0	360mm
CDMT08375-Ti	CDMT08375	8.0	375mm
CDMT08390-Ti	CDMT08390	8.0	390mm
CDMT09285-Ti	CDMT09285	9.0	285mm
CDMT09300-Ti	CDMT09300	9.0	300mm
CDMT09315-Ti	CDMT09315	9.0	315mm
CDMT09330-Ti	CDMT09330	9.0	330mm
CDMT09345-Ti	CDMT09345	9.0	345mm
CDMT09360-Ti	CDMT09360	9.0	360mm
CDMT09375-Ti	CDMT09375	9.0	375mm
CDMT09390-Ti	CDMT09390	9.0	390mm
CDMT10285-Ti	CDMT10285	10.0	285mm
CDMT10300-Ti	CDMT10300	10.0	300mm
CDMT10315-Ti	CDMT10315	10.0	315mm
CDMT10330-Ti	CDMT10330	10.0	330mm
CDMT10345-Ti	CDMT10345	10.0	345mm
CDMT10360-Ti	CDMT10360	10.0	360mm
CDMT10375-Ti	CDMT10375	10.0	375mm
CDMT10390-Ti	CDMT10390	10.0	390mm
CDMT11285-Ti	CDMT11285	11.0	285mm
CDMT11300-Ti	CDMT11300	11.0	300mm
CDMT11315-Ti	CDMT11315	11.0	315mm
CDMT11330-Ti	CDMT11330	11.0	330mm
CDMT11345-Ti	CDMT11345	11.0	345mm
CDMT11360-Ti	CDMT11360	11.0	360mm
CDMT11375-Ti	CDMT11375	11.0	375mm
CDMT11390-Ti	CDMT11390	11.0	390mm





Proximal

Distal

Specifications, size, shape subject to change without notices.
Picture shape if similar to any other manufacturers is just a co-incident.



DAKSH Multi Femur Nail Instrument Set (Standard Quality)



Ref. No.	Description
CDMF-1700.00	DAKSH Multi Femoral Nail Instrument Set
1700.01	Bone Awl
1700.02	Aiming device for Multi Daksh Femoral nail with Insertion Handle
1700.03	Proximal Reamer Sleeve
1700.04	Proximal Reamer
1700.05	Conical Bolt
1700.06	Tissue Protector
1700.07	T-Spanner for Conical Bolt
1700.08	Wire Holding Forcep
1700.09	Driving Cap with thread, for Insertion Handle
1700.10	Guide Ram Cannulated
1700.11	Measuring Scale
1700.12	Screwdriver hexagonal tip 3.5mm
1700.13	Depth Gauge
1700.14	Medullary Tube
1700.15	Slotted Hammer
1700.16	Protection Sleeve 10.0/8.0 Long
1700.17	Drill Sleeve 8.0/4.0 Long
1700.18	Trocar 8.0mm Long
1700.19	Drill Bit ϕ 4.0 mm
1700.20	Reamer 6.5mm
1700.21	GUIDE wire plain
1700.22	GUIDE wire beaded
1700.23	Spanner
1700.24	Guide wire sleeve 8.0/2.0mm
1700.25	Guide Wire 2.0mm
1700.26	Protection Sleeve 10.0/8.0 Short
1700.27	Drill Sleeve 8.0/4.0 Short
1700.28	Trocar 8.0mm Short
1700.29	Hammer
1700.30	Container


DAKSH Multi Tibia Nail Instrument Set (Standard Quality)



Ref. No.	Description
CDMF-1800.00	DAKSH Multi Tibia Nail Instrument Set
1800.01	Spanner
1800.02	Hexagonal Screw Driver Tip 3.5mm
1800.03	Drill Bit ϕ 3.2 mm
1800.04	Drill Bit ϕ 4.0 mm
1800.05	Protection Sleeve 10.0/8.0,
1800.06	L-Key For Conical Bolt
1800.07	Drill Sleeve 8.0/4.0
1800.08	Trocar ϕ 8.0 mm
1800.09	Aiming Device for CARE Daksh Tibial Nail Along With Insertion Handle
1800.10	Guide Ram Cannulated
1800.11	Depth Gauge
1800.12	Proximal Reamer
1800.13	Driving Cap with thread, for Insertion Handle
1800.14	Awl
1800.15	Guide wire plain
1800.16	Guide wire beaded
1800.17	Tissue Protector
1800.18	Medullary TUBE
1800.19	Wire Holding Forcep
1800.20	Hexagonal Screw Driver for Conical Bolt
1800.21	Conical Bolt
1800.22	Measuring Scale
1800.23	Slotted Hammer
1800.24	Hammer
1800.25	Sleeve for Proximal Reamer
	Container

DAKSH Prime Multi Femur Nail Right - Distal Locking Without C-ARM

Ref. No. Ti	Ref. No. SS	Dia (mm)	Position	Length(mm)
CPMF09340R-Ti	CPMF09340R	9.0	Right	340mm
CPMF09360R-Ti	CPMF09360R	9.0	Right	360mm
CPMF09380R-Ti	CPMF09380R	9.0	Right	380mm
CPMF09400R-Ti	CPMF09400R	9.0	Right	400mm
CPMF09420R-Ti	CPMF09420R	9.0	Right	420mm
CPMF09440R-Ti	CPMF09440R	9.0	Right	440mm
CPMF10340R-Ti	CPMF10340R	10.0	Right	340mm
CPMF10360R-Ti	CPMF10360R	10.0	Right	360mm
CPMF10380R-Ti	CPMF10380R	10.0	Right	380mm
CPMF10400R-Ti	CPMF10400R	10.0	Right	400mm
CPMF10420R-Ti	CPMF10420R	10.0	Right	420mm
CPMF10440R-Ti	CPMF10440R	10.0	Right	440mm
CPMF11340R-Ti	CPMF11340R	11.0	Right	340mm
CPMF11360R-Ti	CPMF11360R	11.0	Right	360mm
CPMF11380R-Ti	CPMF11380R	11.0	Right	380mm
CPMF11400R-Ti	CPMF11400R	11.0	Right	400mm
CPMF11420R-Ti	CPMF11420R	11.0	Right	420mm
CPMF11440R-Ti	CPMF11440R	11.0	Right	440mm
CPMF12340R-Ti	CPMF12340R	12.0	Right	340mm
CPMF12360R-Ti	CPMF12360R	12.0	Right	360mm
CPMF12380R-Ti	CPMF12380R	12.0	Right	380mm
CPMF12400R-Ti	CPMF12400R	12.0	Right	400mm
CPMF12420R-Ti	CPMF12420R	12.0	Right	420mm
CPMF12440R-Ti	CPMF12440R	12.0	Right	440mm



Option - I

Option - II

Locking Bolt ϕ 5.0mm

Locking Bolt ϕ 6.5mm

DAKSH Prime Multi Femur Nail Left - Distal Locking Without C-ARM


Ref. No. Ti	Ref. No. SS	Dia (mm)	Position	Length(mm)
CPMF09340L-Ti	CPMF09340L	9.0	Left	340mm
CPMF09360L-Ti	CPMF09360L	9.0	Left	360mm
CPMF09380L-Ti	CPMF09380L	9.0	Left	380mm
CPMF09400L-Ti	CPMF09400L	9.0	Left	400mm
CPMF09420L-Ti	CPMF09420L	9.0	Left	420mm
CPMF09440L-Ti	CPMF09440L	9.0	Left	440mm
CPMF10340L-Ti	CPMF10340L	10.0	Left	340mm
CPMF10360L-Ti	CPMF10360L	10.0	Left	360mm
CPMF10380L-Ti	CPMF10380L	10.0	Left	380mm
CPMF10400L-Ti	CPMF10400L	10.0	Left	400mm
CPMF10420L-Ti	CPMF10420L	10.0	Left	420mm
CPMF10440L-Ti	CPMF10440L	10.0	Left	440mm

DAKSH Prime Multi Femur Nail Left - Distal Locking Without C-ARM

Ref. No. Ti	Ref. No. SS	Dia (mm)	Position	Length(mm)
CPMF11340L-Ti	CPMF11340L	11.0	Left	340mm
CPMF11360L-Ti	CPMF11360L	11.0	Left	360mm
CPMF11380L-Ti	CPMF11380L	11.0	Left	380mm
CPMF11400L-Ti	CPMF11400L	11.0	Left	400mm
CPMF11420L-Ti	CPMF11420L	11.0	Left	420mm
CPMF11440L-Ti	CPMF11440L	11.0	Left	440mm
CPMF12340L-Ti	CPMF12340L	12.0	Left	340mm
CPMF12360L-Ti	CPMF12360L	12.0	Left	360mm
CPMF12380L-Ti	CPMF12380L	12.0	Left	380mm
CPMF12400L-Ti	CPMF12400L	12.0	Left	400mm
CPMF12420L-Ti	CPMF12420L	12.0	Left	420mm
CPMF12440L-Ti	CPMF12440L	12.0	Left	440mm

DAKSH Prime Multi Tibia Nail - Distal Locking Without C-ARM




Ref. No. Ti	Ref. No. SS	Dia (mm)	Length(mm)
CPMT08285-Ti	CPMT08285	8.0	285mm
CPMT08300-Ti	CPMT08300	8.0	300mm
CPMT08315-Ti	CPMT08315	8.0	315mm
CPMT08330-Ti	CPMT08330	8.0	330mm
CPMT08345-Ti	CPMT08345	8.0	345mm
CPMT08360-Ti	CPMT08360	8.0	360mm
CPMT08375-Ti	CPMT08375	8.0	375mm
CPMT08390-Ti	CPMT08390	8.0	390mm
CPMT09285-Ti	CPMT09285	9.0	285mm
CPMT09300-Ti	CPMT09300	9.0	300mm
CPMT09315-Ti	CPMT09315	9.0	315mm
CPMT09330-Ti	CPMT09330	9.0	330mm
CPMT09345-Ti	CPMT09345	9.0	345mm
CPMT09360-Ti	CPMT09360	9.0	360mm
CPMT09375-Ti	CPMT09375	9.0	375mm
CPMT09390-Ti	CPMT09390	9.0	390mm
CPMT10285-Ti	CPMT10285	10.0	285mm
CPMT10300-Ti	CPMT10300	10.0	300mm
CPMT10315-Ti	CPMT10315	10.0	315mm
CPMT10330-Ti	CPMT10330	10.0	330mm
CPMT10345-Ti	CPMT10345	10.0	345mm
CPMT10360-Ti	CPMT10360	10.0	360mm
CPMT10375-Ti	CPMT10375	10.0	375mm
CPMT10390-Ti	CPMT10390	10.0	390mm
CPMT11285-Ti	CPMT11285	11.0	285mm
CPMT11300-Ti	CPMT11300	11.0	300mm
CPMT11315-Ti	CPMT11315	11.0	315mm
CPMT11330-Ti	CPMT11330	11.0	330mm
CPMT11345-Ti	CPMT11345	11.0	345mm
CPMT11360-Ti	CPMT11360	11.0	360mm
CPMT11375-Ti	CPMT11375	11.0	375mm
CPMT11390-Ti	CPMT11390	11.0	390mm



Proximal



Distal

DAKSH Multi Femur Nail Instrument Set (Premium Quality)



Ref. No.	Description
CPMF - 6700.00	DAKSH Multi Femur Instrument Set (Premium Quality)
CONTENTS:-	
Box Bottom	
CPMF - 6700.01	Guide pin guider
CPMF - 6700.02	Flexible drill rod
CPMF - 6700.03	Distal aiming fixator
CPMF - 6700.04	Insertion and extraction device
CPMF - 6700.05	Distal guide rod
CPMF - 6700.06	Proximal guide rod
CPMF - 6700.07	Positioning block
CPMF - 6700.08	Connection bolt
CPMF - 6700.09	Connection screw 1
CPMF - 6700.10	Connection screw 2
CPMF - 6700.11	Reamer head set
CPMF - 6700.12	Aiming device handle
Tray-1	
CPMF - 6700.13	Guide pin holder
CPMF - 6700.14	Hollow awl
CPMF - 6700.15	T-handle with quick coupling
CPMF - 6700.16	Screwdriver with quick coupling SW5.0
CPMF - 6700.17	Screwdriver with quick coupling SW3.5
CPMF - 6700.18	T wrench SW3.5
CPMF - 6700.19	T wrench SW6.5
CPMF - 6700.20	T drill bit Dia5.2mm
CPMF - 6700.21	Universal hex screwdriver SW6.5mm
CPMF - 6700.22	Drill bit dia-5.2mm
CPMF - 6700.23	Stop of proximal special reamer Dia 13.5mm
CPMF - 6700.24	Stop of composite drill/reamer Dia7.0mm
CPMF - 6700.25	Stop of composite drill Cannulated (reamer Dia7.0mm)
CPMF - 6700.26	Drill bit dia-4.0mm
CPMF - 6700.27	Drill bit with stopper dia-4.0mm
CPMF - 6700.28	Guide pin
CPMF - 6700.29	Thread guide pin
Tray-2	
CPMF - 6700.30	Inside drill sleeve Ø2.5
CPMF - 6700.31	Outside sleeve dia10.0mm Short(Protection sleeve)
CPMF - 6700.32	Guide cone 137mm(Trocar)
CPMF - 6700.33	Guide cone 172mm(Trocar)
CPMF - 6700.34	Locking screw extractor
CPMF - 6700.35	Inside drill sleeve Dia5.2mm
CPMF - 6700.36	Connecting rod for main nail extraction
CPMF - 6700.37	T location rod
CPMF - 6700.38	Guide pin depth gauge for femoral neck screw
CPMF - 6700.39	Locking screw depth gauge
CPMF - 6700.40	Inside drill sleeve Dia-6.4mm
CPMF - 6700.41	Outside sleeve Dia-10.0mm Long (Protection sleeve)
CPMF - 6700.42	Lag screw inserter
CPMF - 6700.43	Impactor handle
CPMF - 6700.44	Inside drill sleeve Ø4.0
CPMF - 6700.45	L spanner SW5.0
CPMF - 6700.46	L spanner SW3.0
CPMF - 6700.47	Muscle protector
CPMF - 6700.48	Reaming Rod
CPMF - 6700.49	Hexagonal Screwdriver

DAKSH Multi Tibia Nail Instrument Set (Premium Quality)



Ref. No.	Description
CPET - 6800.00	DAKSH Multi Tibia Instrument Set (Premium Quality)
CONTENTS:-	
Box Bottom	
CPET - 6800.01	Universal Wrench SW8(Screw Driver For Nail Connecting Bolt)
CPET - 6800.02	Insertion and extraction device
CPET - 6800.03	Thread guide pin Ø3.2*400
CPET - 6800.04	Soft reamer rod(Flexible reamer shaft)
CPET - 6800.05	Guide rod
CPET - 6800.06	Lateral positioning arm
CPET - 6800.07	Distal aiming arm
CPET - 6800.08	Aiming device handle
CPET - 6800.09	Connecting bolt
CPET - 6800.10	Proximal aiming arm
CPET - 6800.11	Connecting nut (Guide rod) M8
CPET - 6800.12	Fixation nut (Lateral shelf)
CPET - 6800.13	Tightening nut (Distal) M6
CPET - 6800.14	Tightening nut (Proximal) M8
CPET - 6800.15	Reamer head set
Tray-1	
CPET - 6800.16	Open Chisel
CPET - 6800.17	Muscle protector
CPET - 6800.18	Protection sleeve Ø12
CPET - 6800.19	Drill bit Ø4.0*330
CPET - 6800.20	Drill bit Ø4.0*330 with stopper
CPET - 6800.21	Drill bit Ø3.5*330
CPET - 6800.22	Drill bit Ø3.5*330 with stopper
CPET - 6800.23	Drill bit Ø5.4*250
CPET - 6800.24	Proximal reaming drill Ø12
CPET - 6800.25	Lateral positioning handle
CPET - 6800.26	Lateral positioning inside sleeve
CPET - 6800.27	Lateral positioning pin
CPET - 6800.28	T-drill bit Ø5.4*250
CPET - 6800.29	Starting taper 5.4
CPET - 6800.30	Drill sleeve Ø5.4
CPET - 6800.31	Starting taper 4.0
CPET - 6800.32	Drill sleeve Ø4.0
CPET - 6800.33	Drill sleeve Ø3.5
CPET - 6800.34	Starting taper Ø3.5
Tray-2	
CPET - 6800.35	Cote Ø8.4/Ø9.2/Ø10
CPET - 6800.36	Awl
CPET - 6800.37	Locking screw sleeve
CPET - 6800.38	T hex screwdriver
CPET - 6800.39	Nail compression rod
CPET - 6800.40	Positioning rod
CPET - 6800.41	Nail extractor
CPET - 6800.42	Hex screwdriver
CPET - 6800.43	L spanner SW5.0
CPET - 6800.44	L spanner SW3.0
CPET - 6800.45	Wrench Sw11
CPET - 6800.46	Depth gauge for locking screw
CPET - 6800.47	Guide pin holding device
CPET - 6800.48	U-block
CPET - 6800.49	Reaming Rod

www.orthocare.in | www.orthoimplants.com



FROM WHEELS TO HEELS

ORTHO CARE

H.O.: 3/10 Kirti Nagar Industrial Area, New Delhi - 110015, INDIA

Phone : +91-11-41424511 | 41424522 | 45092044 Fax : +91-11-47510708

E-mail : impex@orthocare.in Web : www.orthocare.in | www.orthoimplants.com

Factory : A-31, Sector A-4, Tronica City Loni, Ghaziabad (U.P.) INDIA

INDIAN FDA LICENSE No. 05/SC/P/2011